### New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2003 Passaic County Residents

1.	Current HIV/AIDS Category	Adult/Ado Cases	lescent *		Pediat Cases	ric * %			Tota ases 	al % 	
	AIDS-Any OI AIDS-CD4 Only HIV Only	456 839 1152	19 34 47		7 0	20 0 80	) ) )		463 839 1180	19 34	9 1 3
	Total	2447			35	100	)		2482		
2.	Current Age * Cases %	3. Race/	Eth.		Cases	3 %	Cases	%	Tota Cases	용	
	<pre> &lt;5  # # 5-12  33  1 13-19  28  1 20-29  118  5 30-39  629  25</pre>	White Black Hispa Other	, Not Hisp , Not Hisp nic /Unknown	oanic oanic		17 48 34 1	6 21 8 0	17 60 23 0		17 49 34 1	
	50-39 629 23 40-49 1072 43 50+ 600 24 Unk. # #	Total							2482		
	Total 2482 100										
4.	Patient Group				dolescer				odes ** Tota		%
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		356 500 51 216	25 35 4 15 22		303 (406 280	0 0 3 31 0 0 5 41 0 28		 35 80 5	56 03 51 22	15 33 2 26
	Total			100			9 100		242		100
			Males	용		Female	es %		Tota	al	
	Parent at risk/has AIDS/HIV Risk not reported/other***		32 #	97 #		23	3 100 # #			55	98 #

NOTE: Includes only those persons known to be infected with HIV.

Total

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2003.
- \*\* 21 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

33 100

23 100

100

 $\ensuremath{^{\star\star\star}}$  Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Passaic County Residents

Adult/Adolescent\*

			Addit t/ Ado.	reacent	1 601	atitt		10	aı		
1. Disease Ca			es (%)	Deaths (%)	Cases (%)		(%) Cases		Deaths (%)		
PCP Other OI w KS Alone	/o PCP Listed	1	990 ( 27) 267 ( 34) 39 ( 1)	823 ( 83) 999 ( 79) 26 ( 67) 578 ( 41)	21 ( 36) 37 ( 64) 0 ( 0) 0 ( 0)	19 ( 24 ( 0 ( 0 (	90) 1011 ( 65) 1304 ( .) 39 ( .) 1417 (	27) 35) 1) 38)	26 ( 67) 578 ( 41)		
Total							74) 3771 (				
2. Age *	Cases			<sup>/</sup> Eth.	Adult/Adl* Cases %		Cases	96			
5-12 13-19 20-29	44 14 23 543	1 0 1 14	White Black Hispa Other	e, Not Hispanic k, Not Hispanic anic c/Unknown	673 18 2096 56 929 25 15 0	7 1 39 6	.2 680 57 2135 21 941	57 25			
30-39 40-49 Over 49 Unknown	1053	28 11		 L	3713 100	58 10	00 3771	100			
Total	3771	100									

Pediatric\*

Total

. Patient Group	Adult/Adolescent Transmission Modes **								
	Males	용	Females	용	Total	용			
Men sex with men (MSM)	517	21	0	0	517	14			
Injection drug user (IDU)	1243	51	578	46	1821	49			
MSM/IDU	118	5	0	0	118	3			
Heterosexual contact	243	10	429	34	672	18			
Risk not reported/other***	328	13	255	20	583	16			
Total	2449	100	1262	100	3711	100			

	Pediatric Transmission Modes					
	Males	왕	Females	용	Total	용
Parent at risk/has AIDS/HIV	36	90	19	95	55	92
Risk not reported/other***	#	#	#	#	5	8
Total	40	100	20	100	60	100

<sup>#</sup> indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies. Classification at time of AIDS diagnosis.

<sup>\*\* 2</sup> patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

<sup>\*\*\*</sup> Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Passaic County Residents

# 5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Cases	Number of Deaths	Case-Fatality Rate
Before 1985	57	54	95%
1985	80	76	95%
1986	107	98	92%
1987	163	157	96%
1988	168	162	96%
1989	239	209	87%
1990	277	249	90%
1991	249	221	89%
1992	332	279	84%
1993	351	266	76%
1994	298	210	70%
1995	300	155	52%
1996	296	118	40%
1997	197	66	34%
1998	147	51	35%
1999	143	34	24%
2000	113	26	23%
2001	97	17	18%
2002	91	14	15%
2003	66	7	11%
Total	3771	2469	65%

# New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003 Passaic County Residents

				Adult/A	Adl*	Pediat	ric*	Total	
1. Age *	Cases	용	<ol><li>Race/Ethnicity</li></ol>	Cases	용	Cases	%	Cases	용
Under 5	34	3	White, Not Hispanic	213	16	8	20	221	17
5-12	6	0	Black, Not Hispanic	621	48	23	58	644	48
13-19	44	3	Hispanic	443	34	9	23	452	34
20-29	328	24	Other/Unknown	22	2	0	0	22	2
30-39	529	40							
40-49	288	22	Total	1299	100	40	100	1339	100
Over 49	106	8							
Unknown	#	#							
Total	1339	100							

Patient Group	Ac	lult/Adol	escent Transmission M	lodes **	
	Males	%	Females %	Total	%  13 33 2 23 30  100
Men sex with men (MSM)	165	22	0 0	165	13
Injection drug user (IDU)	250	34	176 32	426	
MSM/IDU	24	3	0 0	24	2
Heterosexual contact	92	12	207 37	299	23
Risk not reported/other***	212	29	173 31	385	30
Total	743	100	556 100	1299	100
		Pedia <sup>.</sup>	tric Transmission Mod	les	
	Males	%	Females %	Total	%
Parent at risk/has AIDS/HIV	24	100	16 100	40	100
Risk not reported/other***	0	0	0 0	0	
Total	24	100	16 100	40	100

- \* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

### New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Passaic County Residents

			Adult/Ado	olescent *	Pe	diatr	ic *	Tot	tal			
1.	Current Hl	IV/AIDS Ca			Cases	%	Case	es	%	Cases	ଚ୍ଚ	
	AIDS-Any (AIDS-CD4 (AIDS-C	OI			2295 # #	46 # #		59 # #	59 # #	2354 1417 1339	46 28 26	
	Total				5010	100	1	00	100	5110	100	
							Adult/	Adl*	Pediat	ric*	To	tal
2.	Age *	Cases	용	3.	Race/Eth.		Cases	%	Cases	90	Cases	용
	Under 5	84	2		White, No	ot Hispanic	886	18	15	15	901	18
	5-12	16	0		Black, No	ot Hispanic	2715	54	64	64	2779	54
	13-19	84	2		Hispanic	_	1372	27	21	21	1393	27
	20-29	1035	20		Other/Unk		37	1	0	0	37	1
	30-39	2226	44			_						
	40-49	1188	23		Total		5010	100	100	100	5110	100
	Over 49	473	9									
	Unknown	#	#									
	Total	5110	100									

4. Patient Group	Ac	lult/Adol	escent Trans	mission	Modes **						
-	Males	ે	Females	%	Total	용					
Men sex with men (MSM)	682	21	0	0	682	14					
Injection drug user (IDU)	1493	47	754	41	2247	45					
MSM/IDU	142	4	0	0	142	3					
Heterosexual contact	335	10	636	35	971	19					
Risk not reported/other***	540	17	428	24	968	19					
Total	3192	100	1818	100	5010	100					

	Pediatric Transmission Modes				
	Males	용	Females %	Total	용
Parent at risk/has AIDS/HIV	60	94	35 9	7 95	95
Risk not reported/other***	#	#	# :	<del>‡</del> 5	5
Total	64	100	36 100	100	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.
- \*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

## New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Passaic County Residents

## 5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
Before 1985	66	61	92%
1985	99	91	92%
1986	155	125	81%
1987	230	197	86%
1988	291	233	80%
1989	390	291	75%
1990	455	333	73%
1991	445	300	67%
1992	553	301	54%
1993	404	195	48%
1994	337	154	46%
1995	295	98	33%
1996	285	78	27%
1997	226	52	23%
1998	168	31	18%
1999	177	24	14%
2000	184	24	13%
2001	146	21	14%
2002	118	12	10%
2003	82	5	6%
Unknown	#	#	#
Total	5110	2628	51%